



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D4822-2

Job Sheet 178348



Part No: D4822-2

Job Qty: 1 ea

Part Name: Upper Right Deflector



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 5/30/18

Job Tracking No:

Due Date: 7/18/18

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG D4822 REV C IPP REV:A NEW ISSUE 13-04-19 JLM VERIFIED BY:DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea	7/18/18	7/18/18	0.00	0.00	Start Up Machining-3		N/R
100	Bandsaw	1 pcs	7/18/18	7/18/18	0.00	0.24	Bandsaw1		N/R
110	Purchasing	1 pcs	7/18/18	7/18/18	0.00	0.00	Purchasing		18-07-06
115	Packaging	1 pcs	7/18/18	7/18/18	0.00	0.00	Packaging2		18-07-06
117	QC	1 pcs	7/18/18	7/18/18	0.00	0.00	QC6		18-01-31
120	Outsource	1 pcs	7/18/18	7/18/18			ATG001-VC	AUG 14 2018	18-8-2018
122	QC	1 pcs	7/18/18	7/18/18	0.00	0.00	QC14		AUG 21 2018
140	QC	1 pcs	7/18/18	7/18/18	0.00	0.00	QC5		AUG 21 2018
170	Packaging	1 pcs	7/18/18	7/18/18	0.00	0.00	Packaging3-2		9-89
190	QC21-SA	1 Ea	7/18/18	7/18/18	0.00	0.00	QC21		AUG 23 2018

Part Op 100 - CUT AT 32.00" LONG

Descriptions: 110 - ISSUE P/O: 040049 POSSIBLE SUPPLIER:WEJAY ***1 BLANK MAKES 2 PARTS*** Certificate of conformaty required

115 - Receive & Inspect for Damage & Mat'l Certs

117 - QC6- All purchased or subcontracted products

120 - Hard Anodize, Color Black and Prime as Per Dwg D4822 Rev. C → P0040669

122 - QC14- Inspect Spray Paint

140 - QC5- Inspect part completeness to step on W/O

170 - Identify as per dwg & Stock Location:

190 - QC21- Final Inspection - Work Order Release

MAY 30 2018

9-89

X1

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M7075T6S4.000X4.000	7075-T6 Sheet 4.000' X 4.000" cut to size: 32" LONG	1.3500 ft (1.35 ea)	90-Start up Operation	Supplied by Wejay
D4822-2P	Upper Right Deflector	1 pcs (1 ea)	110-Purchasing	581533

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	M7075T6S4.000X4.000	1	13	0
110-Purchasing	D4822-2P	1	2	0



Dart Aerospace Ltd.
1270 Aberdeen Street
Hewkesbury, ON K6A 1K7
CANADA
TEL: 1 813 632-5200
Email: sales@dartacro.com
www.dartaerospace.com

Container No: S089404



Part: D4822-2

Job No: 178348

Serial No/Batch: S089404

Revision: C

Inspector:

Exp Date:

Instructions: Various STC's


Date: 06/14/18

8105 J
0105 I S OUA
0105 I S OUA


Part Specifications

Specifications could not be found.


Plex 5/30/18 10:59 AM dart.lavoie.chantal



SECTION E-E
SCALE 2X



SECTION F-F
SCALE 2X



VIEW D-D
SCALE 1X

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

D4822-2 UPPER DEFLECTOR RH

NO. ~~178077~~ 115
1805-28

178348

RELEASED
2014 FEB 25

NOTES:

- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR
PER AMS-QQ-A-200/11 (REF DART SPEC. M7075T6B)
- 2) FINISH: HARD ANODIZE IAW MIL-A-8625F TYPE III, CLASS 2, COLOR BLACK,
PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4822-2", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND MANUFACTURE DATE,
USING AN X-TENSION STAMP, AS PER QSI 044 METHOD 6.2
- 7) WEIGHT: 1.22 LBS (0.6 KG)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4822-2-c.IGES (D4822-2-c.STEP)

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	EPDMA	D4822	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	UPPER DEFLECTOR	NTS
DATE	14.02.04	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

5/30/2018

PURCHASE ORDER



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO040049

Supplier: WEJ001-VC
Wejay Machine Products Co. Ltd
600 O'Connor Drive
Kingston
ON
K7P 1N3 Canada
Phone: 613-384-1662
Fax: 613-384-2997

PO No: PO040049**PO Date:** 5/30/18**Due Date:** 7/12/18

MAY 30 2018

Purchase Order**Revision:****Revision Date:**

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground**Pynt Terms:** Net 30**Freight Terms:****Special Comments:**

Items

Line Item	Part	Supplier Part No	Item No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	D4821-1P			Windshield Deflector As per Dwg D4821 Rev. B	Firmed	7/12/18	4 pcs	0 pcs	4 pcs	\$1,156.00/pcs	\$4,624.00
Line Item Note W/O 178075											
2	D4822-1P			Upper Deflector, LH As per Dwg D4822 Rev. C	Firmed	7/12/18	6 pcs	0 pcs	6 pcs	\$1,064.00/pcs	\$6,384.00
Line Item Note W/O 178076											
3	D4822-2P			Upper Right Deflector As per Dwg D4822 Rev. C	Firmed	7/12/18	5 pcs	0 pcs	5 pcs	\$1,064.00/pcs	\$5,320.00
Line Item Note W/O 178077 5 PCS MACHINE WITH DART MAT'L AND 1 MACHINE WITH WEJAY MATERIAL.											
4	D4822-2P			Upper Right Deflector As per Dwg D4822 Rev. C	Firmed	7/12/18	1 pcs	0 pcs	1 pcs	\$1,302.00/pcs	\$1,302.00

Line Item Note W/O 178348 MAT'L SUPPLIED BY WEJAY**Grand Total: \$17,630.00**

Order Notes



600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3

PHONE: (613) 384-1662

FAX: (613) 384-2997

CERTIFICATE OF COMPLIANCE

CUSTOMER: Dart Aerospace		DATE: June 13, 2018	
		P.O.# PO 040049	
		WEJAY JOB# 39140	
I hereby certify that the following material has been inspected/tested and conforms to the requirements and specifications as stated in your contract and as noted below.			
PART NO.	QTY.	PROCESS (ES)	SPECIFICATION / REV
D4822-1P 'Upper Deflector, Left Hand ' w/o 178076	6	Machined complete per drawing req'ts.	D4822 / rev. C
D4822-2P 'Upper Deflector, Right Hand' w/o 178077	5	Machined complete per drawing req'ts.	D4822 / rev. C
D4822-2P 'Upper Deflector, Right Hand' w/o 178348	1	Machined complete per drawing req'ts.	D4822 / rev. C
<u>Note:</u> 1) Material for w/o 178076 & 178077 is from DART material lot# M131552. 2) Material Test Report attached for w/o 178348 - ref. 'KUMZ' Lot# 725367 (Wejay TN# 34182-1). 3) 1st Article Inspection reports attached.			

Records of Inspection/Test will be retained for 5 years minimum.

Sincerely,



Clifford Smith
Authorized Q.A. Signatory



INSPECTION CERTIFICATE № 17.114662

EN 10204 - 3.1

Consigner: KAMENSK URALSKY METALLURGICAL WORKS 5, Zavodskaya Str., Kamensk Uralsky, Sverdlovsk Region, 623405, Russia Tel: +7 (3439) 39 54 17 Fax: +7 (3439) 39 52 48										JOINT STOCK COMPANY									
Buyer: A.S. Mill Products, Inc.					Quantity, pcs: 1					Net Weight, kg: 680									
Consignee: A.S. MILL PRODUCTS, INC.					S.O. No: N18807					Item No: 1.4									
P.O. No: CHI MARCH					Package No: 605722														
Article No:																			
Description of Goods: Plates										Requirements on the Products:									
Grade of Product:					Dimensions, inch (mm)					Material conforms to quality of alloy: 7075 T651									
2"X48.5"X144.5"					50.800X1231.8X3670.3					Product conforms to all requirements of: ASTM B209-14; SAE AMS-QQ-A-250/12 Rev. A (2013); SAE AMS 4045 Rev. K (2010). This product conforms to European Union RoHS Directive 2011/65/EU									
Mechanical Properties																			
The Condition of Tested Standards	Lot No.	Heat lot No.	HT Charge No.	Sampling direction	Tensile Strength, Rm / Cui ksi		Yield Strength, Rp0.2% / Rm / Cui ksi		Elongation, %		Hardness, HBW								
					min	max	min	max	min	max									
Required				LT	77.0		67.0		8										
	725367	12-4880	02033	LT	84.2	84.3	70.7	75.8	13.0	13.8									
Chemical Composition, %																			
Element	Silicon Si	Iron Fe	Copper Cu	Manganese Mn	Magnesium Mg	Chromium Cr	Zinc Zn	Titanium Ti											
Required	0.40	0.50	1.2 - 2.0	0.30	2.1 - 2.9	0.18 - 0.28	5.1 - 6.1	0.20											
Contents	0.04	0.17	1.3	0.03	2.5	0.19	5.9	0.05											
Element	Other Elements								Aluminum Al										
	Each								Total										
Required	0.05								0.15										
Contents	0.05								0.15										
Other Tests																			
Method	Macro-structure	Micro-structure	UT	K1c	Electro-conductivity, IACS%	BCP	Contents H2 of metals, cm3/100gr	Raw material used for manufacturing supplied products was tested for compliance with international radiation safety regulations during incoming inspection. Russia is country of melt and manufacture.											
Result		ok					0.05												

On behalf:

Date:

QCB Inspector

Inspection Department Engineer

J.S.Co. "KUMZ"

30.04.2017

Zyryanova K.V.

Alekhina N.V.




TN34182-1
 Job # 39140
 rec'd June 4/18

file:///C:/Users/30sal/AppData/Local/Microsoft/Windows/Temporary%20Internet%20Files/... 8/1/2017

REF 'DART' P.O.# 040049 ITEM 4 (W/0178348)
 PART# D4822-2P

WMP
 03

JUNE 13/18





600 O'CONNOR DRIVE
KINGSTON, ONTARIO
K7P 1N3

INSPECTION / TEST REPORT

JOB No. 39140

PAGE: 1 of 1

CUSTOMER: Dart Aerospace

CUST. P.O.# 040049

PART No. D4822-1

DESCRIPTION: Deflector Left Hand

DWG No. D4822

REV. C

E.C.O. --

MATERIAL: 7075-T651 ALUMINUM

INSPECTOR: Cliff Smith

QUANTITY
REC'D: 6

ACCEPT: 6

REJECT: -

N.C.R.#
-

DATE: June 12, 2018

WMP
03

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted
-First Article Inspection-

ITEM REF. No.	CHARACTERISTIC (DIMS IN mm)	DETAILS	TOLERANCE	DWG SHT/ZONE	RESULT	QTY. INSP.	COMMENTS (ACC. REJ. REW. NMR #)
---------------------	--------------------------------	---------	-----------	-----------------	--------	---------------	---------------------------------------

1	29.29"	View A-A	±.03	2/C6	29.30	1	Passed
2	R163" ref		±.10	2/D7	Passed	1	Passed
3	47°		±.5°	2/C8	46.5°	1	Passed
4	83°		±.5°	2/D5	82.5°	1	Passed
4A	R 0.38" typ.		±.03	2/D4	R .380 typ.	1	Passed
5	3.30"		±.03	2/C8	3.308	1	Passed
6	0.79" typ.		±.03	2/D5	.789- .793	1	Passed
7	2.47		±.03	2/D5	2.467- 2.471	1	Passed
8	R 0.13 typ.		±.03	2/C6	R .125 typ.	1	Passed
9	R0.50" typ		±.03	2/B8	R .50 typ.	1	Passed
10	Ø0.206 hole thru	10 pl.	+0.005/- .001	2/B5	Ø .206- .207	1	Passed
11	2.441"		±.010	2/B7	2.443	1	Passed
12	3.256" typ.	8 pl.	±.010	2/B7	3.255- 3.257	1	Passed
13	0.65" typ.	10 pl.	±.03	2/B4	.648- .653	1	Passed
14	0.157"	Section B-B	±.01	2/D3	.157- .160	1	Passed
15	R0.13" typ. e-model is .19"R		±.03	2/D2	R .19 typ. (per e-model)	1	Passed
16	.099"		±.01	2/D2	.089- .099	1	Passed
17	1.04"		±.03	2/D3	1.042- 1.043	1	Passed
18	1.87"	Section C-C	±.03	2/D3	1.866- 1.871	1	Passed
19	0.236"		±.01	2/B1	.226- .2355	1	Passed
20	0.157"		±.01	2/C3	.157- .160	1	Passed
21	2.01"		±.03	2/B3	2.003- 2.009	1	Passed
22	1.04"		±.03	2/B2	1.042- 1.043	1	Passed
23	R0.13" typ. e-model is .19"R		±.10	2/C2	R .19 typ. (per e-model)	1	Passed
24	Deburring	Per note 5	.005-.010	2/A8	Passed	1	Passed
25	Identification	Per note 6		2/A8	N/A	1	Passed

SECTION E-E
SCALE 2X

SECTION F-F
SCALE 2X

VIEW D-D
SCALE 1X

D4822-2 UPPER DEFLECTOR RH

RELEASED

2011 FEB 25

NOTES:

- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T652) ALUMINUM BAR
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR
PER AMS-QQ-A-200/11 (REF DART SPEC. M7075T65)
- 2) FINISH: HARD ANODIZE IAW MIL-A-8826F TYPE III, CLASS 2, COLOR BLACK,
PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4822-2", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND MANUFACTURE DATE,
USING AN X-TENSION STAMP, AS PER QSI 044 METHOD 6.2
- 7) WEIGHT: 1.22 LBS (0.6 KG)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4822-2-c.IGES (D4822-2-c.STEP)

DESIGN	DB	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MPG. APPR.	EPDMA	D4822	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	UPPER DEFLECTOR	NTS
DATE	14.02.04	COPYRIGHT © 2011 BY DART AEROSPACE LTD	



600 O'CONNOR DRIVE
KINGSTON, ONTARIO
K7P 1N3

INSPECTION / TEST REPORT

JOB No. 39140

PAGE: 1 of 1

CUSTOMER: Dart Aerospace

CUST. P.O.# 040049

PART No. D4822-2

DESCRIPTION: Deflector Right Hand

DWG No. D4822

REV. C

E.C.O. --

MATERIAL: 7075-T651 ALUMINIUM

INSPECTOR: Cliff Smith

QUANTITY
REC'D: 1

ACCEPT:
1

REJECT:
-

N.C.R.#
-

DATE: June 12, 2018

WMP
03

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted

ITEM REF. No.	CHARACTERISTIC (DIMS IN mm)	DETAILS	TOLERANCE	DWG SHT/ZONE	RESULT	QTY. INSP.	COMMENTS (ACC. REJ. REW. NMR #)
1	47°	View D-D	±.5°	3/B5	46.5°	1	Accepted
2	83°		±.5°	3/B2	82.5°	1	Accepted
3	R 0.38" typ.		±.03	3/B1	R .380 typ.	1	Accepted
4	3.30"		±.03	3/C5	3.304	1	Accepted
5	0.79" typ.		±.03	3/B1	.786- .795	1	Accepted
6	2.47		±.03	3/B3	2.464- 2.470	1	Accepted
7	R 0.13 typ.		±.03	3/C4	R .125 typ.	1	Accepted
8	29.29"		±.03	3/C3	29.30	1	Accepted
9	R0.50" typ		±.03	3/D5	R .50 typ.	1	Accepted
10	Ø0.206 hole thru	10 pl.	+ .005/ -.001	3/D1	Ø .208- .209	1	Accepted
11	2.441"		±.010	3/D4	2.442	1	Accepted
12	3.256" typ.	8 pl.	±.010	3/D4	3.255- 3.257	1	Accepted
13	0.65" typ.	10 pl.	±.03	3/D5	.652- .654	1	Accepted
14	0.157"	Section E-E	±.01	3/D6	.158- .160	1	Accepted
15	R0.13" typ. e-model is .19"R		±.03	3/D7	R .19 typ. (per e-model)	1	Accepted
16	.099"		±.01	3/D7	.101- .105	1	Accepted
17	1.04"		±.03	3/D8	1.043- 1.045	1	Accepted
18	1.87"	Section F-F	±.03	3/C7	1.872- 1.875	1	Accepted
19	0.236"		±.01	3/C7	.238- .243	1	Accepted
20	0.157"		±.01	3/B6	.158- .160	1	Accepted
21	2.01"		±.03	3/B7	2.009- 2.014	1	Accepted
22	1.04"		±.03	3/B8	1.043- 1.047	1	Accepted
23	R0.13" typ. e-model is .19"R		±.10	3/B7	R .19 typ. (per e-model)	1	Accepted
24	Deburring	Per note 5	.005-.010	3/A8	Passed	1	Accepted
25	Identification	Per note 6		3/A8	n/a	1	Accepted



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO040669**

Supplier: ATG001-VC
A.T.G. Industries Inc
731 INDUSTRIELLE ROAD
ROCKLAND
ON
K4K 1T2 Canada
Phone: 613-446-4544
Fax: 613-446-4556

Attention: Lalande, Marc-Andre

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO040669
PO Date: 8/1/18
Due Date: 8/13/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	176400	D5351-1	T-Bolt Spacer : Various STC's ANODIZE BLACK PER MIL-A-8625F TYPE I P.O.: :ATG	Firmed	-	8/8/18	20 pcs	0 pcs	20 pcs	\$11.80/pcs	\$236.00
2	178348	D4822-2	Upper Right Deflector : Various STC's Hard anodize IAW MIL-A-8825F TYPE III, CLASS 2, COLOR BLACK	Firmed	-	8/13/18	1 pcs	0 pcs	1 pcs	\$35.55/pcs	\$35.55
	178077			Firmed	-	8/13/18	5 pcs	0 pcs	5 pcs	\$35.55/pcs	\$177.75
5 X AUG 14 2018							Sub Total:	6	0	6	\$213.30
3	178076	D4822-1	Upper Deflector, LH : Various STC's HARD ANODIZE IAW MIL-A-8625 TYPE 3 COLOUR BLACK PRIME AS PER DWG D4821 REV. B	Firmed	-	8/13/18	6 pcs	0 pcs	6 pcs	\$35.55/pcs	\$213.30
Grand Total:											\$662.60

Order Notes

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 8/3/18 10:31 AM dart.tsimiklis.chrisoula



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 915789

Date: 14-Aug-18

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chrisoula Tsimiklis
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
✓ 6 ea	Part: D4822-2 Upper Right Deflector Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (1 - 2 mils) per drawing. Job: 23538	Rev: C	PO: PO040669 Line: 2
✓ 6 ea	Part: D4822-1 Upper Deflector, LH Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (1 - 2 mils) per drawing. Job: 23539	Rev: B	PO: PO040669 Line: 3
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>14/8/18</u> Certified Signature: _____ Receiver Signature: _____ A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
Made in Canada.			

